



SYM	DESCRIPTION
—	SCHEDULE 40 PVC PIPE (SIZE AS NOTED)
- - -	1" SCHEDULE 40 PVC MAINLINE
▼	PROS-04-8Q-FLT HUNTER POP-UP
⊕	PROS-04-15F HUNTER POP-UP
⊕	PROS-04-15H HUNTER POP-UP
⊕	PROS-04-15Q HUNTER POP-UP
⊕	PROS-04-15TQ HUNTER POP-UP
●	120ADV HUNTER ROTOR
⊕	3/4" STOP AND WASTE
⊕	1" DCA CONBRACO BACKFLOW
⊕	PGV-101G 1" HUNTER VALVE
□	PC-300I HUNTER CONTROLLER w/MODULES

**\*\* NOTES \*\***  
 THIS IRRIGATION SYSTEM WAS DESIGNED AT 15 GPM AND 65 (WORKING) PSI AT THE POINT OF CONNECTION. IF THESE MINIMUM REQUIREMENTS CAN NOT BE MET, PLEASE CONTACT THE DESIGNER. THIS PLAN WAS DRAWN FOR GRAPHIC CLARITY ONLY. PLEASE PLACE ALL MAINLINE AND LATERAL LINES IN ADJACENT LANDSCAPE AREAS. SOME FIELD MODIFICATIONS MAY BE NEEDED TO AVOID ON SITE OBSTRUCTIONS.



SPRINKLER SUPPLY CO.  
 1410 WEST 7878 SOUTH  
 (801)566-8102

SHEET DESCRIPTION:  
 IRRIGATION DESIGN

PROJECT:  
 RESIDENCE

DATE: 5/21/03

JOB #: XXXX

DRAWN BY: MAL

SCALE: 1" / 10'

SHEET: 1 OF 1